Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	(cue hilton epis halchin pfendt ridenour).in. and (apple).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/02 07:52
S2	3540	(apple).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:17
S3	0	(cue near3 eduardo).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:18
S4	0	(epis near glenn).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:19
S5	0	(epis near3 glenn).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:19
S6	0	(halchin near3 judy).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:19
S7	0	(pfendt near3 susan).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:19
S8	0	(rinenour near3 cathy).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:19
S9	0	(hilton near3 shaun).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:20
S10	176	((apple).as.) and (custom or customize)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:20

S11	14	(((apple).as.) and (custom or customize)) and ((web or internet) and store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:23
S12	57	(@ad<"19990406").ad. and (custom or customize) and (web or www or internet) and (store near5 front)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:28
S13	57	((@ad<"19990406").ad. and (custom or customize) and (web or www or internet) and (store near5 front)) and (store near5 front)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:25
S14	3	((((@ad<"19990406").ad. and (custom or customize) and (web or www or internet) and (store near5 front)) and (store near5 front)) and (virtual near10 store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:25
S15	121	(@ad<"19990406").ad. and (custom or customize) and (store near5 front)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:37
S16	21	((@ad<"19990406").ad. and (custom or customize) and (store near5 front)) and (virtual near4 store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:27
S17	121	(@ad<"19990406").ad. and (custom or customize) and (store near5 front)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:31
S18	6	((@ad<"19990406").ad. and (custom or customize) and (store near5 front)) and (configuration configure) and administrator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:29
S19	0	(@ad<"19990406").ad. and ((custom or customize) same (store near5 front)) and (virtual near5 store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:35
S20	16	(blinn conklin).in. and (custom or customize)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:37

S21	137	(((@ad<"19990406").ad. and (custom or customize) and (store near5 front)) or ((blinn conklin).in. and (custom or customize))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 06:35
S22	8	((blinn conklin).in. and (custom or customize)) and (configure configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:44
S23	6	(((blinn conklin).in. and (custom or customize)) and (configure configuration)) and (administrator or administer or administration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/22 16:44
S24	4	("6058373" "6167383").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/23 10:46
S25	4	(("6058373" "6167383").pn.) and (customize configure configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 06:31
S26	0	(("6058373" "6167383").pn.) and (customize configure configuration) and (superv$4 or administ$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 06:32
S27	0	(("6058373" "6167383").pn.) and (customize configure configuration) and (superv$4 or admin$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 06:32
S28	4	(("6058373" "6167383").pn.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 06:32
S29	2276	(@ad<"20000406").ad. and (config$5 and (portal or mall))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 06:35
S30	2755	(@ad<"20000406").ad. and (config$5 and (portal or mall))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 06:35

S31	1049	((@ad<"20000406").ad. and (config$5 and (portal or mall))) and (superv$ or manag$5 or adminis$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 06:51
S32	1048	(((@ad<"20000406").ad. and (config$5 and (portal or mall))) and (superv$ or manag$5 or adminis$5)) and (configur$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 06:56
S33	235	((((@ad<"20000406").ad. and (config$5 and (portal or mall))) and (superv$ or manag$5 or adminis$5)) and (configur$5)) and (third adj2 party or clearing adj2 house)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 06:57
S34	78	(((((@ad<"20000406").ad. and (config$5 and (portal or mall))) and (superv$ or manag$5 or adminis$5)) and (configur$5)) and (third adj2 party or clearing adj2 house)) and (custom$5 or tailor$5) near5 (page near2 web)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 06:57
S35	78	((((((@ad<"20000406").ad. and (config$5 and (portal or mall))) and (superv$ or manag$5 or adminis$5)) and (configur$5)) and (third adj2 party or clearing adj2 house)) and ((custom$5 or tailor$5) near5 (page near2 web))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 06:59
S36	78	(((((((@ad<"20000406").ad. and (config$5 and (portal or mall))) and (superv$ or manag$5 or adminis$5)) and (configur$5)) and (third adj2 party or clearing adj2 house)) and ((custom$5 or tailor$5) near5 (page near2 web))) and (URL or address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:00
S37	77	((((((((@ad<"20000406").ad. and (config$5 and (portal or mall))) and (superv$ or manag$5 or adminis$5)) and (configur$5)) and (third adj2 party or clearing adj2 house)) and ((custom$5 or tailor$5) near5 (page near2 web))) and (URL or address)) and (author$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:02
S38	76	(((((((((@ad<"20000406").ad. and (config$5 and (portal or mall))) and (superv$ or manag$5 or adminis$5)) and (configur$5)) and (third adj2 party or clearing adj2 house)) and ((custom$5 or tailor$5) near5 (page near2 web))) and (URL or address)) and (merchant vendor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:03

S39	0	((((((((@ad<"20000406").ad. and (config$5 and (portal or mall))) and (superv$ or manag$5 or adminis$5)) and (configur$5)) and (third adj2 party or clearing adj2 house)) and ((custom$5 or tailor$5) near5 (page near2 web))) and (URL or address)) and ((merchant vendor) and gorup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:03
S40	76	((((((((@ad<"20000406").ad. and (config$5 and (portal or mall))) and (superv$ or manag$5 or adminis$5)) and (configur$5)) and (third adj2 party or clearing adj2 house)) and ((custom$5 or tailor$5) near5 (page near2 web))) and (URL or address)) and ((merchant vendor) and group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:03
S41	61	((((((((@ad<"20000406").ad. and (config$5 and (portal or mall))) and (superv$ or manag$5 or adminis$5)) and (configur$5)) and (third adj2 party or clearing adj2 house)) and ((custom$5 or tailor$5) near5 (page near2 web))) and (URL or address)) and ((merchant and vendor) and group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:03
S42	24	((((((((@ad<"20000406").ad. and (config$5 and (portal or mall))) and (superv$ or manag$5 or adminis$5)) and (configur$5)) and (third adj2 party or clearing adj2 house)) and ((custom$5 or tailor$5) near5 (page near2 web))) and (URL or address)) and (merchant and vendor and group) and (institution and (university or college))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:14
S43	54	((((((((@ad<"20000406").ad. and (config$5 and (portal or mall))) and (superv$ or manag$5 or adminis$5)) and (configur$5)) and (third adj2 party or clearing adj2 house)) and ((custom$5 or tailor$5) near5 (page near2 web))) and (URL or address)) and (web near3 author$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:14
S44	49	((((((((@ad<"20000406").ad. and (config$5 and (portal or mall))) and (superv$ or manag$5 or adminis$5)) and (configur$5)) and (third adj2 party or clearing adj2 house)) and ((custom$5 or tailor$5) near5 (page near2 web))) and (URL or address)) and (web adj2 authoring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:20

S45	6	("705"/$$).ccls. and (hitchcock).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:20
S46	0	("705"/$$).ccls. and (hichcock).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:20
S47	1	(("705"/$$).ccls. and (hitchcock).in.) and (college)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 07:21
S48	53	(((((((@ad<"20000406").ad. and (config$5 and (portal or mall))) and (superv$ or manag$5 or adminis$5)) and (configur$5)) and (third adj2 party or clearing adj2 house)) and ((custom$5 or tailor$5) near5 (page near2 web))) and (URL or address)) and (web adj2 author$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 12:02
S49	1	(@ad<"20000406").ad. and (config$5 and (portal or mall)) and (barnes).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 17:03
S50	6	(@ad<"20000406").ad. and ("705"/$$).ccls. and (barnes).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/14 17:03
S51	2	("6,345,278").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/15 11:58
S52	53	(((((((@ad<"20000406").ad. and (config$5 and (portal or mall))) and (superv$ or manag$5 or adminis$5)) and (configur$5)) and (third adj2 party or clearing adj2 house)) and ((custom$5 or tailor$5) near5 (page near2 web))) and (URL or address)) and (web adj2 author$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 12:03

S53	53	(((((((@ad<"20000406").ad. and (config$5 and (portal or mall))) and (superv$5 or manag$5 or adminis$5)) and (configur$5)) and (third adj2 party or clearing adj2 house)) and ((custom$5 or tailor$5) near5 (page near2 web))) and (URL or address)) and (web adj2 author$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 12:04
S54	6974	(@ad<"20000406").ad. and (web near5 (authoring or creat$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 12:05
S55	278	((@ad<"20000406").ad. and (web near5 (authoring or creat$5))) and ("705"/$$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 12:05
S56	269	(@ad<"20000406").ad. and (web near5 (authoring))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 12:12
S57	111	(@ad<"20000406").ad. and (web near5 (authoring)) and template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 12:14
S58	21	(@ad<"20000406").ad. and ("705"/$$).ccls. and (web near5 (authoring)) and template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 12:15
S59	2	("6058373").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/15 14:39
S60	4	("6058373").pn. ("6167383").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 11:23
S61	4	("6058373").pn. ("6167383").pn. and interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 14:16

S62	4	("6058373").pn. ("6167383").pn. and interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:37
S63	4	(@ad<"20000406").ad. and (http with header with referrer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:38
S64	7	(@ad<"20000406").ad. and (http with header with (referrer referer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:38
S65	6	(@ad<"20000406").ad. and (http with header with (referrer referer)) and host	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:47
S66	6	S65 not "L7"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:43
S67	6	S65 notl5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:43
S68	0	S65 not S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:43
S69	1	S64 not S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 11:43
S70	23	(@ad<"20000406").ad. and (http with (referrer referer)) and host	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 12:12
S71	36	(@ad<"20000406").ad. and (http with (referrer referer)) and access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 12:12

S72	9	(@ad<"20000406").ad. and (http with (referrer referer) with access$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 12:15
S73	8	(@ad<"20000406").ad. and (http with (referrer referer) with access$8) and security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 12:16
S74	9	(@ad<"20000406").ad. and (http with (referrer referer) with access$8) and secur$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 12:21
S75	55	(@ad<"20000406").ad. and (http with (header referrer referer) with access$8) and secur$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 13:54
S76	2	("6167383").pn. and (custom$6 with store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 13:54
S77	1	("6167383").pn. and (customiz$6 with store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 13:55
S78	1	("6167383").pn. and (customiz$6 with store with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 13:55
S79	2	("6058373").pn. ("6167383").pn. and admin$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 14:21
S80	4	("6058373").pn. ("6167383").pn. and ((interface or page) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 14:21
S81	1	("6058373").pn. and ((interface or page) with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 14:22

S82	1	("6058373").pn. and ((sav$5 stor$5) with (data database))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 14:22
S83	4	(cue hilton epis halchin pfendt ridenour).in. and (apple).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:24
S84	2480	(cue hilton epis halchin pfendt ridenour).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:24
S85	30	(cue hilton epis halchin pfendt ridenour).in. and (http)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 13:30
S86	31	(cue hilton epis halchin pfendt ridenour).in. and (http)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:30
S87	1	S86 not S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:45
S88	316	(http with header) with access$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:46
S89	196	(http with header) with access$ and (destination target)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:46
S90	135	(http with header) with access$ and ((destination target) with (uri url address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:47
S91	2	(http with referrer with header) with access$ and ((destination target) with (uri url address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:47

S92	15	(http with header) with access$ same ((destination target) with (uri url address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:09
S93	81807	((destination target) with (uri url address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:09
S94	2840	(destination) with (uri url)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:09
S95	844	(destination) adj2 (uri url)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:09
S96	580	(destination) adj2 (uri url) and http	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:10
S97	0	(destination) adj2 (uri url) and (http with referrer with header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:10
S98	6	(destination) adj2 (uri url) and (http with referer with header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:10
S99	2	(destination) adj2 (uri url) same (http with referer with header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:22
S100	2	(destination adj2 uri) same (http with referer with header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:22
S101	0	(destination adj2 url) same (http with referer with header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:22

S10 2	32	(http with referer with header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:23
S10 3	28	(http with referer with header) and url	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:23
S10 4	17	(http with referer with header) same url	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:23
S10 5	23	(http with referer with header) same (url uri)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:26
S10 6	44	(http with (referer referrer) with header) same (url uri)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:30
S10 7	16	(mcgee).in. and http	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:33
S10 8	1812	(http adj3 url)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:33
S10 9	110	(http adj3 url) same (http adj3 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:33
S11 0	9	(http adj3 url) same (http adj3 (referrer referer) adj3 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:06
S11 1	572	(destination adj1 url)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:07

S11 2	408	(destination adj1 url) and http	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:07
S11 3	72	(destination adj1 url) with http	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:07
S11 4	5	(destination adj1 url) with (http adj4 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:10
S11 5	5	("destination url") with (http adj4 header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:10
S11 6	0	(("destination url")same layer) and ((http adj4 header) same layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:11
S11 7	0	(("destination url") same layer) and ((http adj4 header) same layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:11
S11 8	6	(("destination url") same layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 17:15
S11 9	5	(henson).in. and dell.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 17:16
S12 0	8176	(source with (server host)) same (access$ secur$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/02 07:54
S12 1	3209	(@ad<"20000410").ad. and (source with (server host)) same (access$ secur$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 07:55

S12 2	149	(@ad<"20000410").ad. and (source with (server host)) same (access5$ secur$) same (ident$6 determin$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 08:13
S12 3	52	(@ad<"20000410").ad. and (host same (source with (server host)) same (access5$ secur$) same (ident$6 determin$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 08:37
S12 4	29	(@ad<"20000410").ad. and (host same (source with (server host)) same (access5$ secur$) same (ident$6 determin$4)) and (commerce business)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 08:38
S12 5	11	(@ad<"20000410").ad. and (host same (source with (server host)) same (access5$ secur$) same (ident$6 determin$4)) and (commerce business) and ((web internet) with page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:16
S12 6	4	("5132899" "6292787").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 09:46
S12 7	11	(7$$/$$).ccls. and (@ad<"20000410").ad. and ((refer$5 source origi$7) with (server host) with address) same (access5$ secur$) same (ident$6 determin$4) and (commerce business) and ((web internet) with page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:20
S12 8	11	(@ad<"20000410").ad. and (host same (source with (server host)) same (access5$ secur$) same (ident$6 determin$4)) and (commerce business) and ((web internet) with page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:16
S12 9	6	S127 and S128	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:16
S13 0	16	S127 or S128	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:20
S13 1	14	(S127 or S128) and http	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:20

S13 2	9	(7$$/$$).ccls. and (@ad<"20000410").ad. and ((referrer source origi$7) with (server host) with address) same (access5$ secur$) same (ident$6 determin$4) and (commerce business) and ((web internet) with page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:21
S13 3	10	(7$$/$$).ccls. and (@ad<"20000410").ad. and ((referrer trust$5 source origi$7) with (server host) with address) same (access5$ secur$) same (ident$6 determin$4) and (commerce business) and ((web internet) with page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:53
S13 4	400	("6,167,383").pn. (US "6058373").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:37
S13 5	4	("6167383").pn. ("6058373").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:42
S13 6	7	("6167383").pn. ("6058373").pn. ("6, 704797").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:44
S13 7	7	(7$$/$$).ccls. and (@ad<"20000410").ad. and ((referrer trust$5 source origi$7) with (server host) with address) same (access5$ secur$) same (ident$6 determin$4) and (commerce business) and ((web internet) with page) and (configur$5 and data$1base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:54
S13 8	2	("6058373").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:54
S13 9	1	("6058373").pn. and (secur$5 and host)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 11:55
S14 0	1	("6832321").pn. and (source with address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 13:42